

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	(assist\$4 adj4 (actuator or motor)) and (steering adj4 (motor or actuator)) and ((sens\$4 or detect\$4 or monitor\$4) near4 current) and (frequency or frequencies) and ( amplif\$4 or amplification or (op\$2 adj2 amp)) and (extract\$4 or filter\$4 or (low\$2 adj3 filter\$4)) and (actuator or motor) and (steering adj2 wheel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:42
L2	2	"20020063543"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:42
L3	2	"6600280"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 15:43
L4	5	("5729107"   "5904223"   "5907277"   "5996724"   "6161068").PN. OR ("6600280").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 17:02
L5	5	"6449543"	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 17:24
L6	2	"20010011201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 17:59
L7	34	"5908457"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:21
L8	10	"5908457" and (current near4 (sens\$4 or detect\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:22
L11	3	"5908457" and (current near4 (sens\$4 or detect\$4)) and (frequency or frequencies or dynamic) and (filter\$4 or extract\$4 or remov\$4 or reduc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:27

L13	6	"5908457" and (current near4 (sens\$4 or detect\$4)) and (frequency or frequencies or dynamic or yaw\$2) and (filter\$4 or extract\$4 or remov\$4 or reduc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:36
L14	11	("5709281"   "5908457"   "5923096"   "6032757"   "6041882"   "6046560"   "6079513"   "6097286"   "6363305"   "6370459"   "6370460").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 18:33
L15	10	("6505703").URPN.	USPAT	OR	ON	2005/07/10 18:35
L16	21	("5709281"   "5908457"   "5923096"   "6032757"   "6041882"   "6046560"   "6079513"   "6097286"   "6363305"   "6370459"   "6370460").PN. OR ("6505703").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 18:35
L17	10	("20020059021"   "5097917"   "5908457"   "6012540"   "6269903"   "6370460").PN. OR ("6580989").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 18:35
L18	22	("20020059021"   "3256951"   "3474428"   "5097917"   "5598897"   "5908457"   "6012540"   "6053273"   "6116371"   "6269903"   "6370460"   "6419043"   "6442462"   "6459971"   "6470995"   "6490514"   "6493619"   "6496762"   "6505703"   "6580989").PN. OR ("6842678").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 18:36
L19	12	(16 or 17 or 18) and (current near4 (sens\$4 or detect\$4)) and (frequency or frequencies or dynamic or yaw\$2) and (filter\$4 or extract\$4 or remov\$4 or reduc\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:37
L20	2	(16 or 17 or 18) and (current near4 (sens\$4 or detect\$4)) and (frequency or frequencies or dynamic or yaw\$2) and (filter\$4 or extract\$4 or remov\$4 or reduc\$4 or lpf or hpf or (op\$2 adj2 amp) or (high\$2 adj4 filter\$4) or (low\$2 adj3 filter\$4)) and ( amplif\$4 or amplification or (op\$2 adj2 amp))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/10 18:40

L21	20	("20010029408"   "20010032042"   "20020026268"   "20020033301"   "20020084757"   "20020103939"   "20040039508"   "20040060765"   "5467280"   "6003959"   "6027183"   "6349996"   "6424900"   "6505703"   "6609052"   "6640173"   "6678596"   "6691009"   "6694239"   "6718243").PN. OR ("6862507").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/10 18:39
-----	----	--	------------------------------	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S68	3	"6088599"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 19:55
S69	19	"6008599"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:14
S70	4565	((reaction or force) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:15
S71	634	((reaction ) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 20:15
S72	49	((reaction ) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:47
S73	2	"6600280"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:27
S74	2	"20020063543"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:28
S75	5	("5729107"   "5904223"   "5907277"   "5996724"   "6161068").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/09 21:29
S76	1	S75 and ((reaction ) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:31
S77	0	("6600280").URPN.	USPAT	OR	ON	2005/07/09 21:36
S78	8	("5908457"   "6148948"   "6152255"   "6240349"   "6240350").PN. OR ("6308122").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/09 21:42

S79	365	((reaction or wheel ) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:48
S80	290	((reaction or (steer\$ adj2 wheel) ) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:48
S81	270	((steer\$4 or force) adj2 wheel) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:49
S82	19	((steer\$4 or force) adj2 wheel) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (koyo near4 seiko)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:16
S83	0	("2001/0011201").URPN.	USPAT	OR	ON	2005/07/09 21:54
S84	22	((steer\$4 or force or torque) near4 wheel) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (koyo near4 seiko)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:57
S85	3	S84 not S82	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:56
S86	5	((steer\$4 or force or torque) near4 wheel) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (extract\$4 near4 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:58
S87	5	(wheel near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (extract\$4 near4 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:58

S88	343	(wheel near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 21:58
S89	290	(wheel near4 (motor or actuator)) and (steer\$4 near2 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:06
S91	27	"6079513"	USPAT	OR	ON	2005/07/09 22:02
S92	1	"6273468"	USPAT	OR	ON	2005/07/09 22:02
S93	11	(wheel near4 (motor or actuator)) and (steer\$4 near2 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and ((amplify\$4 or amplif\$4) near4 frequency) and ((filter\$4 or extract\$4) near4 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:08
S94	33	(steer\$4 near2 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and ((amplify\$4 or amplif\$4) near4 frequency) and ((filter\$4 or extract\$4) near4 frequency) and (motor or actuator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:10
S95	22	S94 not S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:09
S96	36	(steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and ((amplify\$4 or amplif\$4) near4 frequency) and ((filter\$4 or extract\$4) near4 frequency) and (motor or actuator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:11
S97	4	S96 not S94	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:11

S98	36	(steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and ((amplify\$4 or amplif\$4) near4 frequency) and ((filter\$4 or extract\$4 or (low\$2 adj2 pass\$2 adj2 filter)) near4 frequency) and (motor or actuator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:12
S99	50	(steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and ((amplify\$4 or amplif\$4) near4 frequency) and (motor or actuator)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:12
S100	14	S99 not S96	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:13
S101	38	(steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (koyo near4 seiko)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:17
S104	11	(steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (koyo near4 seiko) and (amplif\$4 or amplification or (op\$2 adj2 amp)) and (actuator or motor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:37
S105	6	(steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (koyo near4 seiko) and (amplif\$4 or amplification or (op\$2 adj2 amp)) and (extract\$4 or filter\$4) and (actuator or motor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:28
S106	6	(steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (koyo near4 seiko) and (amplif\$4 or amplification or (op\$2 adj2 amp)) and (extract\$4 or filter\$4 or (low\$2 adj3 filter\$4)) and (actuator or motor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:36

S10 7	126	((torque or force) near4 (motor or actuator)) and (steer\$4 near4 (motor or actuator)) and ((sens\$4 or detect\$4) near4 current) and frequency and (amplif\$4 or amplification or (op\$2 adj2 amp)) and (extract\$4 or filter\$4 or (low\$2 adj3 filter\$4)) and (actuator or motor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:36
S10 8	113	S107 not (S99 or S96)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:38
S10 9	102	S107 not (S99 or S96 or S94 or S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:39
S11 0	102	S107 not (S99 or S96 or S94 or S91 or S72)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/09 22:39